



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-636-012
Job Sheet 198537



Part No: D350-636-012

Job Qty: 1 pcs

Part Name: Skidtubes RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/30/19

Job Tracking No:

Due Date: 8/30/19

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: DWG D2750-042 REV.H IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsj9343 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Ver:EC IPP Rev:M 08-04-22 DD verified:EC IPP Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD ver:EC IPP Rev:P 10.06.22 revise seq110 DD ver:EC IPP Rev:Q 10.10.01 as per IIN revH DDver:EC IPP REV:R 13.08.27 PER ECN13-594 DD VERF:JLM IPP REV:S 18.11.12 AS PER DWG REV.H DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Skidtubes - 1	1 pcs	8/30/19		0.00	4.36	Skidtubes - 1		OO
							Skidtubes - 2		
							Skidtubes - 3		
							Skidtubes - 4		BE
							Skidtubes - 5		
							Skidtubes - 6		
							Skidtubes - 7		
120	QC 10	1 pcs	8/30/19		0.00	0.00	QC 10 - 10		R
							QC 10 - 18		
							QC 10 - 24		
							QC 10 - 43		
							QC 10 - 50		
							QC 10 - 58		
							QC 10 - 9		
130	QC 5	1 pcs	8/30/19		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S203481



Part: D350-636-012

Job No: 198537

Serial No/Batch: S203481

Revision: H

Inspector:

Exp Date:

Instructions: FAA STC SR00646SE 18/10/17, TC STC SH!

Plex 7/30/19 1:53 PM Dart.lajeunesse.marie

Plex 7/30/19 1:53 PM Dart.lajeunesse.marie

				QC 7 - 9	
				QC 7 - 68	
				QC 7 - 50	
				QC 7 - 67	
				QC 7 - 40	
				QC 7 - 24	
				QC 7 - 43	
				QC 7 - 61	
				QC 7 - 81	
160 Skidtubes - 2 - B4B	1 pcs	8/30/19	0.00 4.36	Skidtubes - 1 - B4B	JD
				Skidtubes - 2 - B4B	
				Skidtubes - 3 - B4B	
				Skidtubes - 4 - B4B	
				Skidtubes - 5 - B4B	BE
				Skidtubes - 6 - B4B	
				Skidtubes - 7 - B4B	
170 QC 10	1 pcs	8/30/19	0.00 0.00	QC 10 - 10	
				QC 10 - 18	
				QC 10 - 24	DAS
				QC 10 - 43	24
				QC 10 - 50	9-89
				QC 10 - 58	
				QC 10 - 9	
180 QC 5	1 pcs	8/30/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	
				QC 5 - 68	SEP 25 2019
				QC 5 - 9	DAS
				QC 5 - 50	68
				QC 5 - 30	9-89
				QC 5 - 40	
				QC 5 - 61	
				QC 5 - 81	
190 Handfinish - 2-1 Pressure-B4B	1 pcs	8/30/19	0.00 0.91	Handfinish - 2 - 1 - B4B	SEP 25 2019
				Handfinish - 2 - 2 - B4B	
				Handfinish - 2 - 3 - B4B	
				Handfinish - 2 - 4 - B4B	
200 Spray Paint - 2 - B4B	1 pcs	8/30/19	0.00 0.69	Spray Paint - 1 - B4B	AB 19-9-26
				Spray Paint - 2 - B4B	
				Spray Paint - 3 - B4B	
				Spray Paint - 4 - B4B	
205 Outsource	1 pcs	8/30/19		ATE003-VC	5 NR
210 QC 14	1 pcs	8/30/19	0.00 0.00	QC 14 - 15	ML 19-9-30
				QC 14 - 2	
				QC 14 - 34	
				QC 14 - 41	
				QC 14 - 51	
				QC 14 - 58	
				QC 14 - 59	

					QC 14 - 9	
					QC 14 - 68	
					QC 14 - 40	
					QC 14 - 19	
					QC 14 - 43	
					QC 14 - 24	
					QC 14 - 61	
					QC 14 - 81	
					Handfinish - 4 - 1 - B4B	A Lajeunesse
					Handfinish - 4 - 10 - B4B	
230 Handfinish - 4-1-Assembly-B4B	1 pcs	8/30/19	0.00	0.91	Handfinish - 4 - 11 - B4B	
					Handfinish - 4 - 12 - B4B	
					Handfinish - 4 - 13 - B4B	
					Handfinish - 4 - 14 - B4B	
					Handfinish - 4 - 15 - B4B	
					Handfinish - 4 - 2 - B4B	
					Handfinish - 4 - 3 - B4B	
					Handfinish - 4 - 4 - B4B	
					Handfinish - 4 - 5 - B4B	
					Handfinish - 4 - 6 - B4B	
					Handfinish - 4 - 7 - B4B	
					Handfinish - 4 - 8 - B4B	
					Handfinish - 4 - 9 - B4B	
240 QC 5	1 pcs	8/30/19	0.00	0.00	QC 5 - 10	
					QC 5 - 12	
					QC 5 - 17	
					QC 5 - 18	
					QC 5 - 19	
					QC 5 - 22	
					QC 5 - 24	
					QC 5 - 3	
					QC 5 - 43	
					QC 5 - 49	
					QC 5 - 51	
					QC 5 - 58	
					QC 5 - 68	
					QC 5 - 9	
					QC 5 - 50	
250 Packaging 1-1 - Pick Kit - B4B	1 pcs	8/30/19	0.00	0.00	QC 5 - 30	DAS OCT 02 2019 40 9-89
					QC 5 - 40	
					QC 5 - 61	
					QC 5 - 81	
					Packaging 1 - 1 - B4B	
					Packaging 1 - 2 - B4B	
					Packaging 1 - 3 - B4B	
					Packaging 1 - 4 - B4B	
					Packaging 1 - 5 - B4B	
					Packaging 1 - 6 - B4B	
					Packaging 1 - 7 - B4B	
					Packaging 1 - 8 - B4B	
					Packaging 1 - 9 - B4B	
					Packaging 1 - 10 - B4B	
					Packaging 1 - 11 - B4B	
					Packaging 1 - 12 - B4B	

				Packaging 1 - 13 - B4B	
				Packaging 1 - 14 - B4B	
				Packaging 1 - 15 - B4B	
				Packaging 1 - 16 - B4B	
				Packaging 1 - 17 - B4B	
				Packaging 1 - 18 - B4B	
				Packaging 1 - 19 - B4B	
				Packaging 1 - 20 - B4B	
				Packaging 1 - 21 - B4B	
				Packaging 1 - 22 - B4B	
				Packaging 1 - 23 - B4B	PC
				Packaging 1 - 24 - B4B	
				Packaging 1 - 25 - B4B	
				Packaging 1 - 26 - B4B	
				Packaging 1 - 27 - B4B	
				Packaging 1 - 28 - B4B	
				Packaging 1 - 29 - B4B	
				Packaging 1 - 30 - B4B	
				Packaging 1 - 31 - B4B	
				Packaging 1 - 32 - B4B	
				Packaging 1 - 33 - B4B	
				Packaging 1 - 34 - B4B	
				Packaging 1 - 35 - B4B	
				Packaging 1 - 36 - B4B	
260 QC 4	1 pcs	8/30/19	0.00 0.00	QC 4 - 28	
				QC 4 - 58	
				QC 4 - 69	
				QC 4 - 9	
				QC 4 - 46	
				QC 4 - 68	
				QC 4 - 72	
				QC 4 - 74	
270 Packaging 3-1 - Stock - B4B	1 pcs	8/30/19	0.00 0.00	QC 4 - 75	DAS 78 9-89
				Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	DAS 78 9-89

				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
275 DC - 1 - B4B	1	8/30/19	0.00 0.00	DC - 1 - B4B	DAS
	pcs			DC - 2 - B4B	27
280 QC 21 - FG	1	8/30/19	0.00 0.00	QC 21 - FG - 21	3-35 OCT 04 2019
	pcs			QC 21 - FG - 70	
				QC 21 - FG - 53	DAS OCT 04 2019

Part Op 110 - (Skid tubes) 1- Pick D2600-3 Bent Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig
 Descriptions: DT8150 & DT8863A for second side only DT8863B for first side (detail K) 4- Locate DT8329 off of blade fitting bolt holes
 and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill
 pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail J to 0.297" (total of
 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI
 004 9- Grind welds flush as per Dwg D2750 *A/R 139011*
 120 - (QC10- Inspect visual per QSI004- ground welds)
 130 - (QC5- Inspect part completeness to step on W/O)
 140 - (Chemical Conversion Coat per QSI005 4.1)
 150 - (QC7-Inspect Chemical Conversion Coat)
 160 - (Skid tubes) 1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as
 per dwg D2750. 2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) as per dwg D2750. 3-
 Open float holes using uni-bit to .500" (4 per Side) 4- Chamfer holes of Detail K, L, ground handling and float holes per
 dwg D2750 (welding instructions on sheet 9) 5- Deburr and blow out all chips from inside of tube 6- Prepare tube for
 welding, remove alodine as required. 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291
 batch: *5200626* exp. date: *07/25/2019* *ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)** 8- Weld spacers
 D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 9) A/R Aluminum Rod
 batch: *139011* 9- At section AP-AP drill out x-bolt spacer to 0.404" 10-Grind welds flush as per Dwg D2750 11- Spot
 face ground handling holes section (total of 4 places per side) as per dwg D2750 12- Deburr holes, ensure tube is free of
 all scratches before sending to paint.
 170 - (QC10- Inspect visual per QSI004- ground welds)
 180 - (QC5- Inspect part completeness to step on W/O) ***VERIFY C'BOARD IS GOOD***
 190 - (Pressure Wash per QSI005 4.3/ Clean and remove all markings) Re-alodine tube as per QSI 005 section 4.1.2.1 do
 not acid etch.
 200 - (Spray Paint / NDT Room) 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349
 BATCH: *5200299* 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: *5213125*
 210 - (QC14- Inspect Spray Paint) Inspect for foreign object per QSI 024
 230 - (Assemble as per dwg) 1-Install inserts as per dwg D2750 2-Inspect for Foreign Objects 3-Install blade fitting
 D3488-042, wearshoes and ground handling hardware as per dwg D2750 SIKA FLEX 241 BATCH: *5200626* EXP
 DATE: *20-7-21* 4-assemble o'ring to plug as per dwg D3492 and apply o'ring lube A/R 55-o'ring lube
 batch: *11138843* 5-Coat all exposed fasteners with "LPS Procyon" batch: *11133690*
 240 - (QC5- Inspect part completeness to step on W/O)
 250 - (Pick Kit)
 260 - (QC4- 100% Inspect kits for completeness)
 270 - (Identify as per dwg & Stock Location: _____) Package as per PPP D350-636-012
 275 - (Document Control) record fwd angle: *89.8* Photocopy blue file and type labels per PPP D350-636-012
 CHG 008
 280 - (QC21- Final Inspection - Work Order Release)


Job BOM					012182
Part / Item	Component Name	Quantity	Operation	Container	
D2600-3-BENT-RH	Extrusion Bent RH	1 pcs (1 ea)	110-Skidtubes - 1		5197882
D2744	Cap	1 pcs (1 ea)	110-Skidtubes - 1		5192776
D2739	350 I-Beam	1 pcs (1 ea)	160-Skidtubes - 2 - B4B		5204779
D2743	Crossbolt Spacer	8 pcs (8 ea)	160-Skidtubes - 2 - B4B		5194932
D3490-1	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B		5186298
D3490-3	Cross Bolt Spacer	4 pcs (4 ea)	160-Skidtubes - 2 - B4B		5199622
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B		5192155
AN3C5A	Bolt	34 Ea (34 ea)	230-Handfinish - 4-1-Assembly-B4B		5203283
AN3C6A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5167187
AN6C44A	Bolt	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5160267
AN8C35A	Bolt	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5217487
D2745	Bushing	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5206359
D3488-4	Blade Fitting, RH	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5204546
D3492-1	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5215337
D3492-3	Plug	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5204500
D3537-1	Wearpad	3 pcs (3 ea)	230-Handfinish - 4-1-Assembly-B4B		5184197
D3631-1	Washer	8 pcs (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5211427
D3791-1	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5208541
D3793-1	Wearplate Fwd	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5210540
D3793-3	Wearplate Aft	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5216287
MS21043-6	Nut	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5192787
MS21083C8	Nut	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5193136
NAS1149C0332R	Washer (AN960C10L)	38 Ea (38 ea)	230-Handfinish - 4-1-Assembly-B4B		5076073
NAS1149C0832R	Washer (AN960C816L)	1 Ea (1 ea)	230-Handfinish - 4-1-Assembly-B4B		5214926
NAS1515H3L	Washer	4 Ea (4 ea)	230-Handfinish - 4-1-Assembly-B4B		5057650
NAS1611-010	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5199435
NAS1611-013	O-Ring	8 Ea (8 ea)	230-Handfinish - 4-1-Assembly-B4B		5201919
D3793-5	Wearpad	1 pcs (1 ea)	230-Handfinish - 4-1-Assembly-B4B		
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5194404
D2741	Replacement Blade	1 pcs (1 ea)	250-Packaging 1-1 - Pick Kit - B4B		5197663
D3493-1	Washer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5199486
D3532-1	Spacer	2 pcs (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5217598
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5215506
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging 1-1 - Pick Kit - B4B		5186718

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - 1	D2600-3-BENT-RH	1	5	0
	D2744	1	44	0
160-Skidtubes - 2 - B4B	D2739	1	7	0
	D2743	8	208	0
	D3490-1	4	133	0
	D3490-3	4	66	0
	ALS4-1032-225	38	827	0
230-Handfinish - 4-1-Assembly-B4B	AN3C5A	34	765	0
	AN3C6A	4	141	0
	AN6C44A	4	114	0
	AN8C35A	1	28	0
	D2745	8	48	0
	D3488-4	1	12	0
	D3492-1	8	51	0
	D3492-3	8	7	0
	D3537-1	3	51	0
	D3631-1	8	360	0
	D3791-1	1	3	0
	D3793-1	1	6	0
	D3793-3	1	0	0
	D3793-5	1	3	0
	MS21043-6	4	91	0
	MS21083C8	1	85	0
	NAS1149C0332R	38	3,724	0
	NAS1149C0832R	1	292	0
	NAS1515H3L	4	173	0
	NAS1611-010	8	203	0
	NAS1611-013	8	200	0
250-Packaging 1-1 - Pick Kit - B4B	AN8C21A	2	117	0
	D2741	1	52	0
	D3493-1	2	53	0
	D3532-1	2	39	0
	MS21083C8	2	85	0
	NAS1149D0863J	2	371	0
Part Specifications				
Specifications could not be found.				


Plex 7/30/19 1:53 PM Dart.lajeunesse.marie

1 2 3 4 5 6 7 8

D C B A



D2750-043 350 SKIDTUBE ASSEMBLY, LH




D2750-044 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2018 OCT 19

APPROVED

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE, OR	
CHECKED	MW	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 3 OF 18
APPROVED	NO	TITLE	SCALE
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	NTS
DATE	18.03.05	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT CONTAINS UNCLASSIFIED INFORMATION EXCEPT WHERE SHOWN OTHERWISE			




**MAX ALLOWABLE
TWIST ON FWD BEND
{VIEW LOOKING FWD}**


B4-7
SECTION X-X
SCALE 4X, 4 PL

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN	ZF	EUGENE OR	
CHECKED	MM	DRAWING NO.	REV. H
MFG. APPR.	DD	D2750	SHEET 7 OF 18
APPROVED	NO	TITLE	SCALE
DATE	DIS	350 SKIDTUBE ASSEMBLY	NTS
18.03.05		COPYRIGHT © 1989 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS RELEASED FOR DISSEMINATION TO THE GENERAL PUBLIC WITHOUT LIMITATION. IT IS THE PROPERTY OF DART AEROSPACE USA, INC. AND IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS ORIGINALLY PREPARED. IT IS THE PROPERTY OF DART AEROSPACE USA, INC. AND IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS ORIGINALLY PREPARED.			


2008 OCT 19 07
RELEASED




**MAX ALLOWABLE
TWIST ON FWD BEND
(VIEW LOOKING FWD)**




D7-9
DETAIL BF
SCALE 2X




D5-9
DETAIL BG
SCALE 2X




D3-9
DETAIL BH
SCALE 2X



D4-9
SECTION BJ-BJ
SCALE 4X, 17 PL



B6-9
SECTION BK-BK
SCALE 4X, 4 PL



B4-9
SECTION BL-BL
SCALE 4X, 4 PL

2018 OCT 19 *dp*
RELEASED

DESIGN	MM	DART AEROSPACE USA, INC. EUGENE, OR	DRAWING NO. D2750	REV. H	SHEET 9 OF 16
DRAWN	ZF				
CHECKED	MM				
MFG. APPR.	DD				
APPROVED	NO				
DE APPR.	DS	350 SKIDTUBE ASSEMBLY	SCALE	N7S	
DATE	18.03.05	APPROVED BY:  J. H. SMITH THE SCHEMATIC DESIGNER'S SIGNATURE AND TITLE MUST BE PRESENT ON ALL DRAWINGS. APPROVED BY:  J. H. SMITH APPROVED BY:  J. H. SMITH APPROVED BY:  J. H. SMITH			

5.0 PARTS LIST

D350-636-011/-012/-013/-014 SKIDTUBES AT CHG 008 AND SUBSEQUENT
D350-636-021/-022 SKIDTUBES AT CHG 001 AND SUBSEQUENT

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
	X							D350-636-011	SKIDTUBE INSTALLATION, LH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
		X						D350-636-012	SKIDTUBE INSTALLATION, RH, AERAZUR/DART CYLINDRICAL FLOAT COMPATIBLE
			X					D350-636-013	SKIDTUBE INSTALLATION, LH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
				X				D350-636-014	SKIDTUBE INSTALLATION, RH AIRCRAUSER/DART TRI-BAG FLOAT COMPATIBLE
					X			D350-636-021	SKIDTUBE INSTALLATION, LH, STD
						X		D350-636-022	SKIDTUBE INSTALLATION, RH, STD
							X	D350-636-049	WEARSHOE KIT
1	1							D2750-041	SKIDTUBE ASSEMBLY, LH
1		1						D2750-042	SKIDTUBE ASSEMBLY, RH
1			1					D2750-043	SKIDTUBE ASSEMBLY, LH
1				1				D2750-044	SKIDTUBE ASSEMBLY, RH
1					1			D2750-051	SKIDTUBE ASSEMBLY, LH
1						1		D2750-052	SKIDTUBE ASSEMBLY, RH
*1	1							D2750-1	SKIDTUBE WELDMENT, LH
*1		1						D2750-2	SKIDTUBE WELDMENT, RH
*1			1					D2750-3	SKIDTUBE WELDMENT, LH
*1				1				D2750-4	SKIDTUBE WELDMENT, RH
1					1			D2750-5	SKIDTUBE WELDMENT, LH
1						1		D2750-6	SKIDTUBE WELDMENT, RH
**2	8	8	8	8	8	8		350A41-1027-20	SCREW
**3	8	8	8	8	8	8		23119AG120LE	WASHER
**4	8	8	8	8	8	8		22541N120	NUT
*5	1	1	1	1	1	1		AN8C35A	BOLT
*6A	1	1	1	1	1	1		NAS1149C0832R	WASHER
*7	1	1	1	1	1	1		MS21083C8	NUT
8	1		1		1			D3488-3	BLADE FITTING, LH
8		1		1		1		D3488-4	BLADE FITTING, RH
9	1	1	1	1	1	1		D2741	BLADE
10	2	2	2	2	2	2		AN8C21A	BOLT
11	2	2	2	2	2	2		NAS1149DO863J	WASHER
11C							8	D3672-1	WASHER
12	2	2	2	2	2	2		MS21083C8	NUT
*14	4	4	4	4	4	4		AN6C44A	BOLT
*15	8	8	8	8	8	8		D2745	BUSHING
*16	4	4	4	4	4	4		MS21043-6	NUT
*17	8	8	8	8	8	8		D3631-1	WASHER
*18	4	4	4	4	4	4		ALS4-1032-225	INSERT
*19	4	4	4	4	4	4		AN3C6A	BOLT
*20A	4	4	4	4	4	4		NAS1149C0332R	WASHER
*20B	4	4	4	4	4	4		NAS1515H3L	WASHER
*22	3	3	3	3	3	3	3	D3537-1	WEARPAD

• COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR
COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Revision: K

Date: 18.04.04

Item	Qty -011	Qty -012	Qty -013	Qty -014	Qty -021	Qty -022	Qty -049	Part Number	Description
*22A	1	1	1	1	1	1	1	D3791-1	WEARPLATE
*23A	1	1	1	1	1	1	1	D3793-1	WEARSHOE (REPLACES D3535-13)
*24A	1	1	1	1	1	1	1	D3793-5	WEARSHOE (REPLACES D3535-25)
*25A	1	1	1	1	1	1	1	D3793-3	WEARSHOE (REPLACES D3535-35)
*26A	34	34	34	34	34	34	34	AN3C5A	BOLT
*27	34	34	34	34	34	34	34	NAS1149C0332R	WASHER
*28	34	34	34	34	34	34	34	ALS4-1032-225	INSERT
*30	8	8	8	8				D3492-041	PLUG ASSEMBLY
*31	8	8						D3492-043	PLUG ASSEMBLY
*32			8	8				D3492-045	PLUG ASSEMBLY
***43	2	2	2	2				D3493-1	WASHER
50	2	2						D3532-1	SPACER
****97					1	1		AN3C34A	BOLT
****98					2	2		NAS1149C0363R	WASHER
****99					1	1		MS21043-3	NUT
100A							4	AN526C1032R10	SCREW
100B							4	AN526C1032R18	SCREW

- * PART OF D2750-041/-042, D2750-043/-044 OR D2750-051/-052 ASSEMBLY
- ** TO BE SUPPLIED BY CUSTOMER
- *** ONLY INSTALLED IF INSTALLING A DART FLOAT SYSTEM
- ***** PART OF D2750-051 OR D2750-052 ASSEMBLY